



etrailer.COM

Flat Tow Index

USING THE INDEX

 [Click to Learn More About Flat Towing](#)

Important:

* This information does not override the information present in your owner's manual, or information provided by your vehicle's manufacturer. This is meant to be used in tandem with information provided by your vehicle's manufacturer, and to give insight on roughly how difficult it will be (and how many modifications to your vehicle will be required) to flat tow your vehicle.

* This index does NOT include every flat towable vehicle ever made. However, this is the current list of vehicles with applicable parts and experience after gathering information from a number of our suppliers. If the vehicle in question is not on this list, then consult your owner's manual for flat towing endorsement.

Information Key:

¹ The endorsement statuses were found using the most current owner's manuals at the time of writing (March 2023). However newer vehicles are added yearly and will be utilizing the owner's manuals at the end of the calendar year. If there is a "-" in the column it means that we were unable to acquire a copy of the owner's manual to determine flat tow endorsement status. Consult your vehicle's manufacturer or your owner's manual for flat towing endorsement status of your vehicle.

² The curb weight of each range of vehicles is an estimate, many trim levels will have minor differences in curb weight, and any stored luggage/fuel/after-market additions will change this value.

³ The estimated baseplate height was found by shopping an applicable base plate within the range of vehicles presented, the exact height will vary on the baseplate purchased and the installation. This is to help determine the necessity of a hitch rise/drop in order to maintain a safe, level flat tow. In the event that there is a "N/A" in this space, it means we were unable to find an applicable product.

⁴ The values are pulled from the current owner's manual for each vehicle. If there is a "none" listed, it means that the owner's manual explicitly states that there is no limit to the speed/distance you can flat tow your vehicle. However a "-" means that a limit is not addressed (this doesn't necessarily mean there isn't a safe limit). For any questions regarding the current flat towing limits to speed/distance, consult your vehicle's manufacturer.

⁵ The questions posed will each be answered in "yes", "no", or "N/A". While yes and no are self explanatory, "N/A" simply means that the information was not available to us at the time of writing. For more information about accessories for your flat towed vehicle, consult your vehicle's manufacturer.

ACURA	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ⁵	Does a Bulb and Socket Kit Work on This Vehicle? ⁵
CL	97-03	Not officially endorsed (911 only)	3,483 lbs.	15"	-	No	No	Yes	Yes
MDX	01-04	Endorsed with restrictions	4,383 lbs.	24"	65 mph	No	No	Yes	Yes
MDX	05	Endorsed with restrictions	4,608 lbs.	26"	65 mph	No	No	Yes	Yes
MDX	06	Prohibited	4,608 lbs.	26"	-	No	No	Yes	Yes
RSX	02-03	Not officially endorsed (911 only)	2,771 lbs.	13.5"	-	N/A	No	Yes	N/A
TL	96-00	N/A	3,483 lbs.	14"	-	N/A	No	Yes	N/A
TL	01-03	Not officially endorsed (911 only)	3,483 lbs.	14"	-	N/A	No	Yes	N/A
TL	04-08	Not officially endorsed (911 only)	3,465 lbs.	13.5"	-	N/A	No	Yes	N/A

AM GENERAL	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ⁵	Does a Bulb and Socket Kit Work on This Vehicle? ⁵
MV-1	15-16	Not officially endorsed (911 only)	6,600 lbs.	N/A	35 mph, 50 miles	No	No	Yes	No

BUICK	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Standard Diode Kit Work On This Vehicle? ⁵	Does a Bulb and Socket Kit Work on This Vehicle? ⁵
Century	00	Prohibited	3,368 lbs.	13"	-	N/A	N/A	Yes	N/A
Enclave	08	Endorsed with restrictions	4,985 lbs.	17"	65 mph	No	Yes	Yes	Yes
Enclave	09-11	Endorsed with restrictions	4,985 lbs.	17"	65 mph	No	Yes	Yes	Yes
Enclave	12	Endorsed with restrictions	4,980 lbs.	17"	65 mph	No	Yes	Yes	Yes
Enclave	13-17	Endorsed with restrictions	4,922 lbs.	17"	65 mph	No	Yes	Yes	Yes
Encore GX	20-23	Some models endorsed with restrictions	3,258 lbs.	17"	70 mph	Yes	No	Yes	No
Envision	16-18	Endorsed	4,047 lbs.	18"	None	No	Yes	Yes	No
Envision (non-turbo)	19-20	Endorsed	3,755 lbs.	18"	None	No	Yes	Yes	No
Envision (turbo)	19-20	Endorsed	4,083 lbs.	18"	None	No	Yes	Yes	No
Lacrosse	10-12	Endorsed	4,196 lbs.	14"	None	No	No	Yes	No
Lesabre	02-05	Prohibited	3,591 lbs.	12.75"	-	N/A	N/A	Yes	N/A
Regal	11-12	Some models endorsed	3,710 lbs.	12.5"	65 mph	No	No	Yes	No
Rendezvous	02-07	Prohibited	4,272 lbs.	13"	-	N/A	N/A	Yes	N/A
Terraza	05	Prohibited	4,646 lbs.	15.5"	-	N/A	N/A	Yes	N/A

CADILLAC

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ⁵	Does a Bulb and Socket Kit Work on This Vehicle? ⁵
CTS	03-06	Prohibited	3,509 lbs.	12.5"	-	N/A	N/A	Yes	N/A
CTS	07	Prohibited	3,509 lbs.	12.5"	-	Yes	No	Yes	Yes
Escalade	03-04	Prohibited	5,572 lbs.	17"	-	No	No	Yes	No
Escalade	05-06	Prohibited	5,537 lbs.	17"	-	No	No	Yes	No
Escalade	07-8	Prohibited	5,718 lbs.	17"	-	No	No	Yes	Yes
Escalade	09-11	Some models endorsed	5,718 lbs.	17"	None	No	No	Yes	Yes
Escalade	12-14	Prohibited	5,718 lbs.	17"	None	No	No	Yes	Yes
Escalade	15-20	Some models endorsed	5,856 lbs.	17.5"	None	Yes	No	Yes	Yes
Escalade	21	Some models endorsed	5,823 lbs.	16"	None	Yes	No	Yes	No
Escalade	22-23	Some models endorsed	5,993 lbs.	15"	None	Yes	No	Yes	No
SRX	06	Prohibited	4,302 lbs.	17"	-	No	No	Yes	No
SRX	07-08	Prohibited	4,442 lbs.	17"	-	No	No	Yes	No
SRX	09	Prohibited	4,442 lbs.	17"	-	No	No	Yes	No
SRX	10-11	Some models endorsed with restrictions	4,387 lbs.	16.5"	65 mph	No	Yes	Yes	No
SRX	12-14	Endorsed with restrictions	4,442 lbs.	16.5"	65 mph	No	No	Yes	Yes
SRX	15-16	Endorsed with restrictions	4,442 lbs.	16.5"	65 mph	No	No	Yes	No

CHEVROLET

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ⁵	Does a Bulb and Socket Kit Work on This Vehicle? ⁵
Astro Van	01-02	Prohibited	4,593 lbs.	13.5"		N/A	N/A	Yes	N/A
Avalanche	02-06	Some models endorsed	6,528 lbs.	17"	None	No	No	Yes	Yes
Avalanche (w/adj. pedals)	07-13	Some models endorsed	5,863 lbs.	17.25"	None	No	No	Yes	No
Avalanche (w/non-adj. pedals)	07-13	Some models endorsed	6,803 lbs.	17.25"	None	No	No	Yes	No
Aveo	06	Prohibited	2,376 lbs.	14.5"	-	N/A	N/A	Yes	N/A
Aveo	07	Prohibited	2,531 lbs.	14.5"	-	No	No	Yes	Yes
Aveo	09	Prohibited	2,568 lbs.	14"	-	No	No	Yes	Yes
Aveo	10	Prohibited	2,568 lbs.	14"	-	No	No	Yes	Yes
Aveo5	07-08	Prohibited	2,343 lbs.	14"	-	N/A	N/A	Yes	N/A
Aveo5	09	Endorsed	2,568 lbs.	14"	-	No	No	Yes	Yes
Aveo5	10-11	Prohibited	2,568 lbs.	14"	-	No	No	Yes	Yes
Blazer	88-94	Not officially endorsed (911 only)	4,608 lbs.	16.5"	-	N/A	N/A	Yes	N/A
Blazer	19	Endorsed with restrictions	4,287 lbs.	13.5"	65 mph	No	No	Yes	No
Blazer	20-22	Endorsed	4,131 lbs.	13.5"	65 mph	Yes	No	Yes	No
Captiva Sport	12-15	Endorsed	3,760 lbs.	12.5"	65 mph	No	Yes	Yes	Yes
Cavalier	97-00	Some models endorsed	2,838 lbs.	12.75"	65 mph	N/A	N/A	Yes	N/A
Cavalier	01-02	Some models endorsed	2,749 lbs.	12.75"	65 mph	N/A	N/A	Yes	N/A
Cavalier	03-05	Endorsed	2,808 lbs.	12.75"	None	No	No	Yes	Yes
Cobalt	05	Endorsed with restrictions	3,216 lbs.	14.25"	65 mph	No	No	Yes	Yes
Cobalt	06	Endorsed with restrictions	3,216 lbs.	14.25"	65 mph	No	Yes	Yes	Yes
Cobalt	07-10	Endorsed	2,926 lbs.	14.25"	65 mph	No	Yes	Yes	Yes
Colorado	04-09	Endorsed	4,000 lbs.	19.5"	None	No	No	Yes	Yes
Colorado	10-12	Some models endorsed	4,715 lbs.	19.5"	None	No	No	Yes	Yes
Colorado	15-22	Some models endorsed	4,173 lbs.	17"	None	Yes	No	Yes	No

Cruze	11-15	Endorsed	3,102 lbs.	14.25"	65 mph	No	Yes	Yes	No
Cruze	16-18	Some models endorsed	3,229 lbs.	14.5"	65 mph	No	Yes	Yes	No
Cruze Limited	16	Some models endorsed	3,118 lbs.	14.5"	65 mph	No	Yes	Yes	No
Equinox	05	Not officially endorsed	3,740 lbs.	16"	-	N/A	N/A	Yes	N/A
Equinox	10-17	Endorsed	3,975 lbs.	15.5"	65 mph	No	Yes	Yes	No
Equinox L, LS & LT	18	Endorsed	3,682 lbs.	16"	65 mph	No	No	No	No
Equinox Premier	18	Endorsed	3,682 lbs.	16"	65 mph	No	No	No	No
Equinox L, LS & LT (w/seat mem.)	19	Endorsed	3,682 lbs.	16"	65 mph	No	No	No	No
Equinox L, LS & LT (w/o seat mem.)	19	Endorsed	3,682 lbs.	16"	65 mph	No	No	No	No
Equinox Premier (w/ seat mem.)	19	Endorsed	3,682 lbs.	16"	65 mph	No	No	No	No
Equinox Premier (w/o seat mem.)	19	Endorsed	3,682 lbs.	16"	65 mph	No	No	No	No
Equinox L, LS & LT	20-23	Endorsed	3,465 lbs.	16"	65 mph	No	No	No	No
Equinox Premier	20-23	Endorsed	3,465 lbs.	16"	65 mph	No	No	Yes	No
Equinox RS	22-23	Endorsed	3,465 lbs.	16"	65 mph	No	No	Yes	No
Equinox Sport	08-09	Endorsed	3,740 lbs.	15"	65 mph	Yes	No	Yes	No
HHR	06	Endorsed	3,208 lbs.	11"	None	No	Yes	Yes	No
HHR	07-11	Endorsed	3,208 lbs.	11"	65 mph	No	Yes	Yes	No
HHR SS	08-10	Endorsed	3,280 lbs.	11"	65 mph	No	Yes	Yes	No
Impala	06-10	Prohibited	3,649 lbs.	13.75"	-	No	No	Yes	Yes
Impala	11	Prohibited	3,649 lbs.	13.75"	-	No	No	Yes	Yes
Malibu	01-03	Endorsed with restrictions	3,077 lbs.	13.5	65 mph	N/A	Yes	Yes	N/A
Malibu (w/ adj. pedals)	04-05	Endorsed	3,315 lbs.	13.5"	None	No	Yes	Yes	Yes
Malibu (w/ non-adj. pedals)	04-05	Endorsed	3,315 lbs.	13.5"	None	No	Yes	Yes	Yes
Malibu (w/adj. pedals)	06-08	Some models endorsed	3,649 lbs.	13"	65 mph	No	Yes	Yes	Yes
Malibu (w/non-adj. pedals)	06-08	Some models endorsed	3,649 lbs.	13"	65 mph	No	Yes	Yes	Yes
Malibu (w/adj. pedals)	09-12	Endorsed	3,649 lbs.	15"	65 mph	No	Yes	Yes	No
Malibu (w/non-adj. pedals)	09-12	Endorsed	3,649 lbs.	15"	65 mph	No	Yes	Yes	No
Malibu LTZ	14-15	Some models endorsed	3,547 lbs.	12.5"	65 mph	No	Yes	Yes	No
Malibu (other models)	14-15	Some models endorsed	3,660 lbs.	12.5"	65 mph	No	Yes	No	No
Malibu LTZ	16-18	Some models endorsed	3,126 lbs.	12.5"	65 mph	No	Yes	Yes	Yes
Malibu (other models)	16-18	Some models endorsed	3,388 lbs.	12.5"	65 mph	No	Yes	No	Yes
Malibu	19-21	Some models endorsed	3,223 lbs.	15"	65 mph	Yes	No	Yes	No
Malibu Limited LTZ	16	Some models endorsed	3,126 lbs.	12.5"	65 mph	No	Yes	Yes	No
Malibu Limited (other models)	16	Some models endorsed	3,388 lbs.	12.5"	65 mph	No	Yes	No	No
Malibu Classic	08	Endorsed with restrictions	3,297 lbs.	13.5"	65 mph	No	Yes	Yes	No
Pickup S10	95-03	Prohibited	4,039 lbs.	16"	-	N/A	N/A	N/A	N/A
S10 Blazer	97-01	Prohibited	4,114 lbs.	14"	-	No	No	Yes	Yes
S10 Blazer	02-04	Prohibited	4,134 lbs.	16"	-	N/A	N/A	N/A	N/A
S10 Blazer mid-size	97-01	Prohibited	4,114 lbs.	14"	-	No	No	Yes	Yes
S10 Blazer mid-size	02-04	Prohibited	4,134 lbs.	16"	None	N/A	N/A	N/A	N/A
Silverado 1500	99-06	Some models endorsed	5,284 lbs.	17"	None	No	No	Yes	No
Silverado 1500 (w/adj. pedals)	07-13	Some models endorsed	5,487 lbs.	15.75"	None	No	No	Yes	No
Silverado 1500 (w/adj. pedals)	14-21	Some models endorsed	5,240 lbs.	19"	None	Yes	No	Yes	No
Silverado 1500 (w/non-adj. pedals)	07-13	Some models endorsed	5,487 lbs.	15.75"	None	No	No	Yes	No
Silverado 1500 (w/non-adj. pedals)	14-18	Some models endorsed	5,461 lbs.	19"	None	Yes	No	Yes	No
Silverado 1500 LD (w/adj. pedals)	19	Some models endorsed	5,155 lbs.	19"	None	Yes	No	Yes	No
Silverado 1500 LD (w/non-adj. pedals)	19	Some models endorsed	5,155 lbs.	19"	None	Yes	No	Yes	No
Silverado 1500 Limited	22	Some models endorsed	4,640 lbs.	19"	None	Yes	No	Yes	No

Silverado 1500	22-23	Some models endorsed	4,640 lbs.	19"	None	Yes	No	Yes	No
Silverado 2500	99-02	Some models endorsed	5,523 lbs.	16.5"	None	N/A	N/A	Yes	N/A
Silverado 2500	03-06	Some models endorsed	2,037 lbs.	16.5"	None	No	No	Yes	No
Silverado 2500 (w/adj. pedals)	07	Some models endorsed	6,169 lbs.	16.5"	None	No	No	Yes	No
Silverado 2500 (w/adj. pedals)	08-14	Some models endorsed	6,169 lbs.	15.5"	None	No	No	Yes	No
Silverado 2500 (w/non-adj. pedals)	07	Some models endorsed	6,169 lbs.	16.5"	None	No	No	Yes	No
Silverado 2500 (w/non-adj. pedals)	08-14	Some models endorsed	6,595 lbs.	15.5"	None	No	No	Yes	No
Silverado 2500 (w/adj. pedals)	15-19	Some models endorsed	6,689 lbs.	19"	None	Yes	No	Yes	Yes
Silverado 2500	20-23	Some models endorsed	6,418 lbs.	22"	None	Yes	No	Yes	No
Silverado 3500	99-02	Some models endorsed	5,893 lbs.	16.5"	None	N/A	N/A	Yes	N/A
Silverado 3500	03-06	Some models endorsed	6,552 lbs.	16.5"	None	No	No	Yes	No
Silverado 3500 (w/adj. pedals)	07-14	Some models endorsed	6,694 lbs.	15.5"	None	No	No	Yes	No
Silverado 3500 (w/non-adj. pedals)	15-18	Some models endorsed	6,901 lbs.	19"	None	Yes	No	Yes	Yes
Silverado 3500 (w/adj. pedals)	15-18	Some models endorsed	7,017 lbs.	19"	None	Yes	No	Yes	Yes
Silverado 3500 (w/adj. pedals)	19	Some models endorsed	7,239 lbs.	19"	None	Yes	No	Yes	Yes
Silverado 3500	20-23	Some models endorsed	7,064 lbs.	22"	None	Yes	No	Yes	No
Sonic	12-17	Endorsed	2,915 lbs.	13.5"	65 mph	No	Yes	No	Yes
Sonic	18-20	Endorsed	2,915 lbs.	13.5"	65 mph	No	Yes	No	Yes
Spark	16-17	Some models endorsed	2,312 lbs.	15"	70 mph	No	No	No	Yes
Spark	18-22	Some models endorsed	2,312 lbs.	15"	70 mph	Yes	No	No	Yes
Suburban 1500	98-06	Some models endorsed	6,073 lbs.	17"	None	N/A	N/A	Yes	N/A
Suburban 1500 (w/adj. pedals)	07-14	Some models endorsed	5,280 lbs.	17.25"	None	No	No	Yes	No
Suburban 1500 (w/non-adj. pedals)	07-14	Some models endorsed	5,280 lbs.	17.25"	None	No	No	Yes	No
Suburban 1500 (w/adj. pedals)	15-22	Some models endorsed	6,016 lbs.	17.5"	None	Yes	No	Yes	No
Suburban Z71 1500	16-20	Some models endorsed	5,896 lbs.	18"	None	Yes	No	Yes	No
Suburban 2500	03-07	Some models endorsed	6,074 lbs.	17.5"	None	No	No	Yes	No
Suburban 2500	08-13	Some models endorsed	6,327 lbs.	18.5"	None	No	No	Yes	No
Tahoe	98	-	5,280 lbs.	17"	-	N/A	N/A	Yes	N/A
Tahoe	99-02	Endorsed	5,050 lbs.	17"	None	N/A	N/A	Yes	N/A
Tahoe	03-04	Some models endorsed	5,262 lbs.	17"	None	No	No	Yes	Yes
Tahoe	05-06	Some models endorsed	5,210 lbs.	17"	None	No	No	Yes	Yes
Tahoe (w/adj. pedals)	07-14	Some models endorsed	5,694 lbs.	17.5"	None	No	No	Yes	No
Tahoe (w/non-adj. pedals)	07-14	Some models endorsed	5,694 lbs.	17.5"	None	No	No	Yes	No
Tahoe	15-19	Some models endorsed	5,602 lbs.	17.5"	None	Yes	No	Yes	No
Tahoe Z71	16-20	Some models endorsed	5,602 lbs.	18"	None	Yes	No	Yes	No
Tahoe Z71	21-23	Some models endorsed	5,553 lbs.	19"	None	Yes	No	Yes	No
Tahoe	21-23	Some models endorsed	5,553 lbs.	19.5"	None	Yes	No	Yes	No
Tracker	99-02	Some models endorsed	2,987 lbs.	16.75"	50 mph / 200 miles	No	No	Yes	No
Tracker	03-04	Some models endorsed	2,987 lbs.	16.75"	50 mph / 200 miles	No	No	Yes	No
Trailblazer (w/manual seats)	02-09	Some models endorsed	4,600 lbs.	15.5"	None	No	No	Yes	Yes
Trailblazer (w/electric seats)	02-09	Some models endorsed	4,600 lbs.	15.5"	None	No	No	Yes	Yes
Trailblazer	21-22	Some models endorsed	3,252 lbs.	13.5"	70 mph	Yes	No	No	No
Trailblazer RS	21-23	Some models endorsed	3,252 lbs.	13.5"	70 mph	Yes	No	Yes	No
Traverse	09-11	Endorsed	5,066 lbs.	16"	65 mph	No	Yes	Yes	Yes
Traverse	12	Endorsed	4,859 lbs.	16"	65 mph	No	Yes	Yes	Yes

Traverse	13-17	Endorsed	4,841 lbs.	18"	65 mph	No	Yes	Yes	Yes
Traverse	19	Endorsed	4,362 lbs.	16"	65 mph	No	Yes	Yes	No
Traverse	20	Endorsed	4,362 lbs.	16"	65 mph	No	No	Yes	No
Traverse	21	Endorsed	4,362 lbs.	16"	-	Yes	No	Yes	No
Traverse	22-23	Prohibited	4,310 lbs.	14.5"	-	Yes	No	Yes	No
Uplander	05-06	Prohibited	4,646 lbs.	14.5"	-	N/A	N/A	Yes	N/A
Uplander	07	Prohibited	4,470 lbs.	14.5"	-	No	No	Yes	Yes
Uplander	08	Prohibited	4,470 lbs.	14.5"	-	N/A	N/A	Yes	N/A
Van Fullsize 1500	07-14	Prohibited	5,248 lbs.	13.5"	-	No	No	Yes	No
Van Fullsize 2500	07-16	Prohibited	5,539 lbs.	13.5"	-	No	No	Yes	No
Van Fullsize 3500	07-16	Prohibited	6,406 lbs.	13.5"	-	No	No	Yes	No
Venture	99-00	Prohibited	3,792 lbs.	12.5"	-	N/A	N/A	Yes	N/A

CHRYSLER

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ⁵	Does a Bulb and Socket Kit Work on This Vehicle? ⁵
200	12-13	Prohibited	3,898 lbs.	N/A	-	No	No	Yes	No
200	14	Prohibited	4,000 lbs.	N/A	-	No	No	Yes	No
Aspen	07-09	Some models endorsed	4,903 lbs.	14.5"	None	No	No	Yes	Yes
New Yorker	88	-	3,295 lbs.	N/A	-	N/A	N/A	Yes	N/A
Pacifica	04-08	Not officially endorsed	4,675 lbs.	16.25"	-	N/A	N/A	Yes	N/A
PT Cruiser	01-05	Some models endorsed	3,108 lbs.	12.5"	None	No	No	Yes	Yes
PT Cruiser	06-10	Some models endorsed	3,303 lbs.	12.5"	None	No	No	Yes	Yes
Sebring	07-10	Prohibited	3,959 lbs.	13.75"	-	No	No	Yes	Yes
Sebring Convertible (w/ manual seats)	07-08	Prohibited	3,959 lbs.	13.75"	-	No	No	Yes	Yes
Town and Country	97-07	Prohibited	4,331 lbs.	15"	-	N/A	N/A	Yes	N/A
Town and Country	08-16	Prohibited	4,621 lbs.	13"	-	No	No	Yes	No
Voyager	01	Endorsed	4,057 lbs.	14"	-	N/A	N/A	Yes	N/A

DODGE

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ⁵	Does a Bulb and Socket Kit Work on This Vehicle? ⁵
Caliber	07-12	Some models endorsed	3,308 lbs.	15"	None	No	No	Yes	Yes
Caravan	97-07	Prohibited	3,999 lbs.	13.5"	-	N/A	N/A	Yes	N/A
Charger	06-08	Prohibited	4,160 lbs.	N/A	-	No	No	Yes	No
Dakota pickup	95-96	-	3,586 lbs.	N/A	-	N/A	N/A	Yes	N/A
Dakota	99-01	-	4,391 lbs.	18"	None	N/A	N/A	Yes	N/A
Dakota pickup	02-05	Some models endorsed	4,484 lbs.	17.5"	None	No	No	Yes	Yes
Dakota pickup	06-11	Some models endorsed	4,676 lbs.	17.5"	None	Yes	No	Yes	No
Dart	13	Some models endorsed	3,186 lbs.	14"	-	No	No	Yes	No
Dart	14	Some models endorsed	3,242 lbs.	14"	None	No	No	Yes	No
Dart	15	Some models endorsed	3,215 lbs.	14"	None	No	No	Yes	No
Durango	99-03	Prohibited	4,689 lbs.	18"	None	No	No	Yes	Yes
Durango	04-09	Some models endorsed	5,117 lbs.	14.5"	None	No	No	Yes	Yes
Durango	11-13	Some models endorsed	5,331 lbs.	17.5"	None	No	No	Yes	Yes
Durango	14-21	Some models endorsed	5,510 lbs.	18"	None	No	No	Yes	No
Dynasty	93	-	2,917 lbs.	N/A	-	N/A	N/A	Yes	N/A

Grand Caravan	05-07	Prohibited	4,093 lbs.	13.5"	-	N/A	N/A	Yes	N/A
Grand Caravan	08-19	Prohibited	4,483 lbs.	15"	-	No	No	Yes	Yes
Journey	09-10	Prohibited	4,239 lbs.	15"	-	No	No	Yes	Yes
Neon	95-01	-	2,567 lbs.	13"	-	N/A	N/A	Yes	N/A
Nitro	07-11	Prohibited	4,161 lbs.	17.5"	-	No	No	Yes	Yes
Ram 1500 pickup	02-05	Some models endorsed	5,350 lbs.	24"	None	N/A	N/A	Yes	N/A
Ram 1500 pickup	06-08	Some models endorsed	6,544 lbs.	24"	None	No	No	Yes	Yes
Ram 1500 pickup	09	Some models endorsed	5,612 lbs.	18"	None	No	No	Yes	Yes
Ram 1500 pickup	10-12	Some models endorsed	5,248 lbs.	18"	-	No	No	Yes	Yes
Ram 1500 pickup (w/non-adj. pedals and no electronic shifter)	10-12	Some models endorsed	5,248 lbs.	18"	None	No	No	Yes	Yes
Ram 1500 pickup (w/adj. pedals and no electronic shifter)	13-18	Some models endorsed	5,718 lbs.	18"	-	No	No	Yes	Yes
Ram 1500 pickup (w/adj. pedals and electronic shifter)	13-18	Some models endorsed	5,718 lbs.	18"	-	No	No	Yes	Yes
Ram 1500 pickup (w/non-adj. pedals and no electronic shifter)	13-18	Some models endorsed	5,718 lbs.	18"	-	No	No	Yes	Yes
Ram 1500 pickup (w/non-adj. pedals)	13-18	Some models endorsed	5,718 lbs.	18"	-	No	No	Yes	Yes
Ram 1500 pickup	19-22	Some models endorsed	6,439 lbs.	19.5"	-	No	No	Yes	No
Ram 1500 Classic pickup	19	Some models endorsed	5,842 lbs.	19.5"	-	No	No	Yes	No
Ram 2500 pickup	00-02	Not officially endorsed	5,893 lbs.	23.5"	None	N/A	N/A	Yes	N/A
Ram 2500 pickup	03	Not officially endorsed	6,127 lbs.	25.5"	None	No	No	Yes	Yes
Ram 2500 pickup	04-07	Some models endorsed	6,593 lbs.	25.5"	None	No	No	Yes	Yes
Ram 2500 pickup	08-09	Some models endorsed	6,366 lbs.	25.5"	None	No	No	Yes	Yes
Ram 2500 pickup	10-12	Some models endorsed	6,730 lbs.	25.5"	None	No	No	Yes	Yes
Ram 2500 pickup (w/adj. pedals)	13-14	Some models endorsed	6,870 lbs.	25.5"	-	No	No	Yes	Yes
Ram 2500 pickup (w/adj. pedals)	15-18	Some models endorsed	7,231 lbs.	25.5"	-	No	No	Yes	No
Ram 2500 pickup (w/non-adj. pedals)	13-14	Some models endorsed	6,870 lbs.	25.5"	-	No	No	Yes	Yes
Ram 2500 pickup (w/non-adj. pedals)	15-18	Some models endorsed	7,231 lbs.	25.5"	-	No	No	Yes	No
Ram 2500 pickup (w/adj. pedals)	19-22	Some models endorsed	7,414 lbs.	24"	-	No	No	Yes	Yes
Ram 2500 pickup (w/non-adj. pedals)	19-22	Some models endorsed	7,414 lbs.	24"	-	No	No	Yes	Yes
Ram 3500 pickup	00	Prohibited	6,178 lbs.	23.5"	None	N/A	N/A	Yes	N/A
Ram 3500 pickup	03-07	Prohibited	7,111 lbs.	25.5"	None	No	No	Yes	Yes
Ram 3500 pickup	08-09	Some models endorsed	7,656 lbs.	25.5"	None	No	No	Yes	Yes
Ram 3500 pickup	10-12	Some models endorsed	7,708 lbs.	25.5"	None	No	No	Yes	Yes
Ram 3500 pickup (w/adj. pedals)	13-18	Some models endorsed	7,077 lbs.	25.5"	-	No	No	Yes	No
Ram 3500 pickup (w/non-adj. pedals)	13-18	Some models endorsed	7,077 lbs.	25.5"	-	No	No	Yes	No
Ram 3500 pickup (w/adj. pedals)	19-21	Some models endorsed	7,536 lbs.	24"	-	No	No	Yes	Yes
Ram 3500 pickup (w/non-adj. pedals)	19-21	Some models endorsed	7,536 lbs.	24"	-	No	No	Yes	Yes
Sprinter	07-08	Not officially endorsed	5,978 lbs.	24"	-	No	No	Yes	No
Van Full Size	01	-	4,949 lbs.	N/A	-	N/A	N/A	Yes	N/A

FIAT

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ⁵	Does a Bulb and Socket Kit Work on This Vehicle? ⁵
500	12-19	Some models endorsed	2,512 lbs.	13.5"	65 mph	No	No	Yes	Yes
500L	14-16	Some models endorsed	3,254 lbs.	15"	None	No	No	Yes	No

FORD	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ²⁵	Does a Bulb and Socket Kit Work on This Vehicle? ²⁵
Bronco (w/signature LED lighting)	21-23	Endorsed	4,945 lbs.	28"	None	No	No	Yes	No
Bronco (w/o signature LED lighting)	21-23	Endorsed	4,945 lbs.	22.5"	None	No	No	Yes	No
C-Max	13-18	Endorsed	3,607 lbs.	12"	70 mph	No	No	Yes	No
Crown Victoria	05-06	Endorsed with restrictions	3,964 lbs.	12.5"	-	N/A	N/A	Yes	N/A
Edge	07-14	Endorsed	4,098 lbs.	26.5"	65 mph	No	No	Yes	No
Edge SEL	15-18	Not officially endorsed (911 only)	4,095 lbs.	17"	65 mph	Yes	No	No	No
Edge (other models)	15-18	Not officially endorsed (911 only)	4,401 lbs.	15"	65 mph	Yes	No	Yes	No
Edge ST	19-22	Not officially endorsed (911 only)	4,477 lbs.	16.5"	65 mph	Yes	No	No	No
Escape	01-05	Some models endorsed with restrictions	3,364 lbs.	17"	75 mph	N/A	No	Yes	N/A
Escape w/o rear heater	06-07	Some models endorsed with restrictions	3,463 lbs.	17"	70 mph	No	No	Yes	Yes
Escape	08	Some models endorsed with restrictions	3,547 lbs.	17"	70 mph	No	No	Yes	Yes
Escape	09-12	Endorsed with restrictions	3,547 lbs.	17"	60 mph for automatics; 70 mph for manuals	No	No	Yes	Yes
Escape hybrid	08	Some models endorsed with restrictions	3,794 lbs.	18.5"	70 mph	No	No	Yes	Yes
Escape hybrid	09-12	Endorsed with restrictions	3,850 lbs.	17"	60 mph for automatics; 70 mph for manuals	No	No	Yes	Yes
Escape	13-20	Prohibited	3,668 lbs.	15"	75 mph	N/A	N/A	N/A	N/A
Escape	21-23	Prohibited	3,904 lbs.	14"	70 mph	N/A	N/A	N/A	N/A
Escape hybrid	20-22	Endorsed with restrictions	3,534 lbs.	14"	70 mph	No	No	Yes	No
Escape hybrid plug-in	20-22	Endorsed with restrictions	3,870 lbs.	15"	70 mph	No	No	Yes	No
Expedition	99-07	Endorsed with restrictions	5,607 lbs.	15"	-	N/A	N/A	Yes	N/A
Expedition	08-14	Some models endorsed	5,805 lbs.	15"	-	No	No	Yes	Yes
Expedition	15-16	Some models endorsed	5,846 lbs.	17.5"	None	No	No	Yes	Yes
Expedition	18-21	Some models endorsed	5,692 lbs.	15.5"	None	No	No	Yes	No
Expedition	22	Some models endorsed	5,623 lbs.	17.5"	None	No	No	Yes	No
Explorer	94-01	Endorsed with restrictions	4,113 lbs.	15"	None	N/A	N/A	Yes	N/A
Explorer	02-05	Some models endorsed with restrictions	4,480 lbs.	21"	None	No	No	No	Yes
Explorer	06	Some models endorsed with restrictions	4,706 lbs.	15.5"	None	No	No	No	Yes
Explorer	07	Some models endorsed with restrictions	4,712 lbs.	15.5"	None	No	No	No	Yes
Explorer	08-09	Some models endorsed with restrictions	4,712 lbs.	15.5"	None	No	No	No	Yes
Explorer	10	Some models endorsed with restrictions	4,632 lbs.	15.5"	None	No	No	No	Yes
Explorer	11	Endorsed	4,732 lbs.	18.5"	65 mph	No	No	Yes	No
Explorer	12	Endorsed	4,731 lbs.	18.5"	65 mph	No	No	Yes	No
Explorer	13-15	Some models endorsed	4,697 lbs.	18.5"	65 mph	No	No	Yes	No
Explorer (w/adj. pedals)	16-19	Some models endorsed	4,901 lbs.	16.5"	65 mph	Yes	No	Yes	No
Explorer (w/non-adj. pedals)	16-19	Some models endorsed	4,901 lbs.	16.5"	65 mph	Yes	No	Yes	No
Explorer Sport (w/adj. pedals)	16-19	Some models endorsed	4,901 lbs.	16.5"	65 mph	Yes	No	Yes	No
Explorer Sport (w/non-adj. pedals)	16-19	Some models endorsed	4,901 lbs.	16.5"	65 mph	Yes	No	Yes	No
Explorer Sport Trac	03-05	Some models endorsed with restrictions	4,309 lbs.	19.5"	None	No	No	No	Yes
Explorer Sport Trac	07-10	Some models endorsed with restrictions	4,840 lbs.	15.5"	None	No	No	No	Yes
Fiesta (automatic only)	11-13	Not officially endorsed (911 only)	2,578 lbs.	13.75"	70 mph	Yes	No	Yes	Yes
Fiesta (manual only)	11-13	Endorsed	2,578 lbs.	13.75"	70 mph	No	No	Yes	Yes
Fiesta (automatic only)	14-19	Endorsed with restrictions	2,720 lbs.	13.75"	70 mph	Yes	No	Yes	Yes
Focus (automatic only)	12-18	Endorsed	3,055 lbs.	14.5"	70 mph	Yes	No	Yes	Yes
Focus (manual only)	12-14	Endorsed	2,948 lbs.	14.5"	70 mph	No	No	Yes	Yes
Focus (manual only)	15-18	Endorsed	2,960 lbs.	14"	70 mph	No	No	Yes	Yes
Focus ST (automatic only)	13-14	Not officially endorsed (911 only)	3,223 lbs.	14.5"	70 mph	Yes	No	Yes	Yes

Focus ST (manual only)	13-14	Endorsed	3,223 lbs.	14.5"	70 mph	No	No	Yes	Yes
Freestar	04-07	Prohibited	4,275 lbs.	14"	-	N/A	N/A	Yes	N/A
Fusion	06-09	Some models endorsed	3,577 lbs.	13.5"	70 mph	No	No	Yes	Yes
Fusion	10-12	Endorsed	3,803 lbs.	14.75"	75 mph	No	No	Yes	Yes
Fusion	13-18	Prohibited (911 only)	3,681 lbs.	12"	70 mph	No	No	Yes	No
Fusion SEL	19-20	Some models endorsed	3,470 lbs.	12.5"	70 mph	Yes	No	No	No
Fusion (other models)	19-20	Some models endorsed	3,816 lbs.	12.5"	70 mph	Yes	No	Yes	No
Fusion Hybrid	10-11	Endorsed	3,720 lbs.	14.75"	75 mph	No	No	Yes	Yes
Fusion Hybrid and Energi	13-16	Endorsed	3,913 lbs.	12"	70 mph	No	No	Yes	No
Fusion Titanium	14-16	Prohibited	3,681 lbs.	12"	70 mph	No	No	Yes	No
F-150	97-03	Endorsed with restrictions	4,806 lbs.	19"	None	N/A	N/A	Yes	N/A
F-150	04-08	Endorsed with restrictions	5,875 lbs.	22"	None	No	No	Yes	Yes
F-150	09-14	Some models endorsed	5,908 lbs.	16"	None	No	No	Yes	Yes
F-150	15-20	Some models endorsed	5,684 lbs.	17.5"	None	No	No	Yes	No
F-150 (w/adj. pedals)	21-23	Endorsed	5,740 lbs.	16.5"	None	No	No	No	No
F-150 Hybrid (w/adj. pedals)	21-22	Endorsed	5,014 lbs.	16.5"	None	No	No	Yes	No
F-150 (w/o adj. pedals)	21-23	Endorsed	5,740 lbs.	16.5"	None	No	No	No	No
F-150 Raptor	21-22	Endorsed	5,740 lbs.	16.5"	None	No	No	Yes	No
F-150 Eco Boost	11	Some models endorsed	5,716 lbs.	17.5"	None	No	No	Yes	No
F-250	99-02	Prohibited	6,307 lbs.	25"	None	N/A	N/A	Yes	N/A
F-250	04-07	Prohibited (911 only)	6,682 lbs.	25"	None	N/A	N/A	Yes	N/A
F-250	08-10	Some models endorsed	6,591 lbs.	23.5"	None	No	No	Yes	Yes
F-250	11-16	Prohibited	6,940 lbs.	23.5"	None	No	No	Yes	Yes
F-250	17-19	Some models endorsed	6,712 lbs.	24.5"	None	No	No	Yes	Yes
F-250	20-22	Some models endorsed	7,538 lbs.	16.5"	None	No	No	Yes	No
F-350	99-02	Prohibited (911 only)	6,863 lbs.	25"	None	N/A	N/A	Yes	N/A
F-350	04-07	Some models endorsed	7,134 lbs.	25"	None	N/A	N/A	Yes	N/A
F-350	08-10	Some models endorsed	7,211 lbs.	25"	None	No	No	Yes	Yes
F-350	11-16	Prohibited	7,035 lbs.	22.25"	None	No	No	Yes	Yes
F-350	17-19	Some models endorsed	7,739 lbs.	24.5"	None	No	No	Yes	Yes
F-350	20-22	Some models endorsed	7,687 lbs.	16.5"	None	No	No	Yes	No
Maverick pickup	22	Some models endorsed	3,693 lbs.	17"	-	No	No	Yes	No
Mustang	98-02	Endorsed with restrictions	3,429 lbs.	11"	-	N/A	N/A	Yes	N/A
Mustang	05-09	Prohibited	3,601 lbs.	11.5"	-	No	No	Yes	No
Ranger pickup	94-06	Some models endorsed	4,750 lbs.	17"	55 mph	No	No	Yes	No
Ranger pickup	07-11	Endorsed	3,606 lbs.	21"	55 mph	No	No	Yes	No
Ranger pickup	19-23	Endorsed	4,441 lbs.	17"	None	No	No	Yes	No
Ranger STX	05-07	Some models endorsed	3,210 lbs.	17"	-	No	No	Yes	No
Taurus	04-07	Prohibited (911 only)	3,343 lbs.	N/A	-	N/A	N/A	Yes	N/A
Taurus	08-12	Endorsed	4,224 lbs.	13.5"	65 mph	No	No	Yes	Yes
Taurus	13-18	Some models endorsed	4,341 lbs.	12.5"	65 mph	No	No	Yes	No
Taurus SHO	19	Some models endorsed	4,327 lbs.	12.5"	65 mph	No	No	Yes	No
Taurus X	08	Endorsed	4,208 lbs.	13.5"	None	No	No	Yes	No
Transit	15-19	Prohibited	3,968 lbs.	17.5"	-	No	No	Yes	Yes
Transit	20	Prohibited	4,028 lbs.	17.5"	-	No	No	Yes	Yes
Van Fullsize	08	Prohibited	5,390 lbs.	15"	-	N/A	N/A	Yes	N/A
Van Fullsize	09-11	Prohibited	5,329 lbs.	15"	-	No	No	Yes	No
Windstar	03	Prohibited (911 only)	4,355 lbs.	16"	-	N/A	N/A	Yes	N/A
ZX2	03	Prohibited (911 only)	2,464 lbs.	12"	None	N/A	N/A	Yes	N/A

FREIGHTLINER	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ²⁵	Does a Bulb and Socket Kit Work on This Vehicle? ²⁵
Sprinter	13-18	-	6,382 lbs.	N/A	-	No	No	Yes	Yes

GEO	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ²⁵	Does a Bulb and Socket Kit Work on This Vehicle? ²⁵
Tracker	89-98	-	2,751 lbs.	13.5"	-	N/A	N/A	Yes	N/A
Tracker	99-02	-	2,987 lbs.	16.5"	-	No	No	Yes	No
Tracker	03	-	2,987 lbs.	16.5"	-	No	No	Yes	No
Tracker	04	-	2,987 lbs.	16.5"	-	No	No	Yes	No

Does a

GMC	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Standard Diode Kit Work On This Vehicle? ²⁵	Does a Bulb and Socket Kit Work on This Vehicle? ²⁵
Acadia	07-08	Endorsed	4,936 lbs.	17"	65 mph	No	Yes	Yes	No
Acadia	09-11	Endorsed	4,936 lbs.	17"	65 mph	No	Yes	Yes	No
Acadia	12	Endorsed	4,857 lbs.	17"	65 mph	No	Yes	Yes	No
Acadia	13-16	Endorsed	4,850 lbs.	17"	65 mph	No	Yes	Yes	No
Acadia Limited	17	Some models endorsed	3,956 lbs.	17"	65 mph	No	Yes	Yes	No
Acadia	17-19	Some models endorsed	3,956 lbs.	16"	65 mph	No	No	Yes	No
Canyon	04-09	Some models endorsed	4,062 lbs.	19.5"	None	No	No	Yes	Yes
Canyon	10-12	Some models endorsed	4,070 lbs.	19.5"	None	No	No	Yes	Yes
Canyon	15-22	Some models endorsed	4,555 lbs.	13.5"	None	Yes	No	Yes	Yes
Envoy (w/o electric seats)	02-06	Some models endorsed	4,594 lbs.	15.5"	None	No	No	Yes	Yes
Envoy	02-06	Some models endorsed	4,594 lbs.	15.5"	None	No	No	Yes	Yes
Envoy (w/o electric seats)	07-09	Some models endorsed	4,801 lbs.	15.5"	None	No	No	Yes	Yes
Envoy	07-09	Some models endorsed	4,801 lbs.	15.5"	None	No	No	Yes	Yes
Envoy Denali	05-06	Some models endorsed	4,783 lbs.	15.5"	None	No	No	Yes	No
Envoy Denali	07-09	Some models endorsed	4,801 lbs.	15.5"	None	No	No	Yes	No
Jimmy	88-93	Endorsed with restrictions	4,381 lbs.	N/A	-	N/A	N/A	Yes	N/A
Jimmy	95-01	Prohibited	4,049 lbs.	14"	-	N/A	N/A	Yes	N/A
S15	97-03	-	4,039 lbs.	14"	-	N/A	N/A	Yes	N/A
Safari	01-02	Prohibited	4,593 lbs.	17.5"	-	N/A	N/A	Yes	N/A
Safari	03	Prohibited	4,605 lbs.	17.5"	-	N/A	N/A	Yes	N/A
Safari	04-05	Prohibited	4,591 lbs.	17.5"	-	N/A	N/A	Yes	N/A
Savana 1500	07-13	Prohibited	4,819 lbs.	13.5"	None	No	No	Yes	No
Savana 2500	07-17	Prohibited	5,338 lbs.	13.5"	None	No	No	Yes	No
Savana 3500	07-17	Prohibited	5,453 lbs.	13.5"	None	No	No	Yes	No
Sierra 1500	97-98	Some models endorsed	4,836 lbs.	16"	-	N/A	N/A	Yes	N/A
Sierra 1500	99-06	Some models endorsed	5,430 lbs.	16"	None	No	No	Yes	No
Sierra 1500 (w/adj. pedals)	07-13	Some models endorsed	5,435 lbs.	15.75"	None	No	No	Yes	No
Sierra 1500 (w/non-adj. pedals)	14-18	Some models endorsed	5,456 lbs.	18.5"	None	Yes	No	Yes	Yes
Sierra 1500 Limited (w/non-adj. pedals)	19	Some models endorsed	5,400 lbs.	18"	None	Yes	No	Yes	Yes

Sierra 1500 (w/non-adj. pedals)	07-13	Some models endorsed	5,487 lbs.	15.75"	None	No	No	Yes	No
Sierra 1500 (w/non-adj. pedals)	14-18	Some models endorsed	5,509 lbs.	18.5"	None	Yes	No	Yes	Yes
Sierra 1500	19-23	Some models endorsed	5,740 lbs.	18"	None	Yes	No	Yes	No
Sierra 1500 Limited	19	Some models endorsed	5,355 lbs.	18"	None	Yes	No	Yes	Yes
Sierra 1500 HD	03	Some models endorsed	5,817 lbs.	16.5"	None	No	No	Yes	No
Sierra 1500 HD	04-06	Some models endorsed	5,834 lbs.	16.5"	None	No	No	Yes	No
Sierra 2500	97-02	Some models endorsed	5,707 lbs.	16"	None	N/A	N/A	Yes	N/A
Sierra 2500	03-06	Some models endorsed	6,049 lbs.	16.5"	None	No	No	Yes	No
Sierra 2500 (w/adj. pedals)	07-14	Some models endorsed	6,601 lbs.	15.5"	None	No	No	Yes	No
Sierra 2500 (w/non-adj. pedals)	07-14	Some models endorsed	6,601 lbs.	15.5"	None	No	No	Yes	No
Sierra 2500 (w/adj. pedals)	15-19	Some models endorsed	6,693 lbs.	19"	None	Yes	No	Yes	Yes
Sierra 2500	20-23	Some models endorsed	6,950 lbs.	20"	None	Yes	No	Yes	No
Sierra 3500	97-02	Some models endorsed	5,893 lbs.	16.5"	None	N/A	N/A	Yes	N/A
Sierra 3500	03-06	Some models endorsed	6,546 lbs.	16.5"	None	No	No	Yes	No
Sierra 3500 (w/adj. pedals)	07-14	Some models endorsed	6,672 lbs.	15.5"	None	No	No	Yes	No
Sierra 3500 (w/adj. pedals)	15-19	Some models endorsed	7,239 lbs.	19"	None	Yes	No	Yes	Yes
Sierra 3500	20-23	Some models endorsed	7,059 lbs.	20"	None	Yes	No	Yes	No
Terrain (w/non-adj. pedals)	10-17	Endorsed	4,049 lbs.	15.5"	65 mph	No	Yes	Yes	Yes
Yukon 1500	01-06	Prohibited	5,543 lbs.	17"	None	N/A	N/A	Yes	N/A
Yukon 1500 (w/adj. pedals)	07-14	Prohibited	5,635 lbs.	17.25"	None	No	No	Yes	No
Yukon 1500 (w/non-adj. pedals)	07-14	Prohibited	5,635 lbs.	17.25"	None	No	No	Yes	No
Yukon 1500 (w/adj. pedals)	15-20	Some models endorsed	5,626 lbs.	17.5"	None	Yes	No	Yes	No
Yukon 1500	21-23	Some models endorsed	5,827 lbs.	19.5"	None	Yes	No	Yes	No
Yukon 1500 XL	01-06	Prohibited	5,796 lbs.	17"	None	N/A	N/A	Yes	N/A
Yukon 1500 XL (w/adj. pedals)	07-14	Prohibited	6,480 lbs.	17.25"	None	No	No	Yes	No
Yukon 1500 XL (w/non-adj. pedals)	07-14	Prohibited	6,480 lbs.	17.25"	None	No	No	Yes	No
Yukon 1500 XL (w/adj. pedals)	15-20	Some models endorsed	5,965 lbs.	17.5"	None	Yes	No	Yes	No
Yukon 1500 XL	21-23	Some models endorsed	5,998 lbs.	19.5"	None	Yes	No	Yes	No
Yukon 2500	03-10	Prohibited	6,073 lbs.	16.5"	None	No	No	Yes	No
Yukon 2500 XL	03-07	Prohibited	6,073 lbs.	16.5"	None	No	No	Yes	No
Yukon Denali	03-06	Prohibited	5,538 lbs.	17"	None	No	No	Yes	No

HONDA

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ⁶	Does a Bulb and Socket Kit Work on This Vehicle? ⁶
Accord	94-97	Prohibited (911 only)	3,285 lbs.	13"	-	N/A	N/A	Yes	N/A
Accord	98-02	Prohibited (911 only)	3,285 lbs.	14"	-	No	No	Yes	No
Accord	03	Prohibited (911 only)	3,360 lbs.	14"	-	No	No	Yes	No
Accord	04-05	Prohibited (911 only)	3,501 lbs.	14"	-	No	No	Yes	No
Accord hybrid (w/rear heater)	06	Prohibited (911 only)	3,589 lbs.	14"	-	No	No	Yes	No
Accord hybrid (w/o rear heater)	06	Prohibited (911 only)	3,589 lbs.	14"	-	No	No	Yes	No
Accord (w/rear heater)	06-07	Prohibited (911 only)	3,437 lbs.	14"	-	No	No	Yes	No
Accord (w/o rear heater)	06-07	Prohibited (911 only)	3,437 lbs.	14"	-	No	No	Yes	No
Accord	08-10	Prohibited (911 only)	3,583 lbs.	14"	-	No	No	Yes	No
Accord	11-12	Prohibited (911 only)	3,593 lbs.	14"	-	No	No	Yes	Yes
Accord	18-20	Prohibited (911 only)	3,428 lbs.	18.5"	65 mph	No	No	Yes	No

Civic	02-05	Prohibited (911 only)	2,782 lbs.	12"	-	No	No	Yes	No
Civic hybrid	03-05	Prohibited (911 only)	2,736 lbs.	12"	-	No	No	Yes	No
Civic	09-11	Prohibited (911 only)	2,959 lbs.	14.5"	-	No	No	Yes	Yes
Civic	12	Prohibited	2,895 lbs.	14.5"	-	No	No	Yes	Yes
Civic	18-19	Prohibited	3,010 lbs.	12.5"	65 mph	No	No	Yes	No
Civic	20	Prohibited	3,012 lbs.	12.5"	65 mph	No	No	Yes	No
CRV	97	Endorsed	3,164 lbs.	13"	-	No	No	Yes	Yes
CRV	98-99	Endorsed	3,164 lbs.	13"	-	No	No	Yes	Yes
CRV	00-01	Endorsed with restrictions	3,164 lbs.	19"	65 mph	No	No	Yes	Yes
CRV	02-04	Endorsed with restrictions	3,347 lbs.	23"	65 mph	No	No	Yes	Yes
CRV	05	Endorsed with restrictions	3,494 lbs.	21"	65 mph	No	Yes	Yes	Yes
CRV	06	Endorsed with restrictions	3,494 lbs.	21"	65 mph	No	Yes	Yes	Yes
CRV	07	Endorsed with restrictions	3,549 lbs.	16"	65 mph	No	Yes	Yes	Yes
CRV	08-11	Endorsed with restrictions	3,554 lbs.	16"	65 mph	No	Yes	Yes	Yes
CRV	12-14	Endorsed with restrictions	3,529 lbs.	15.5"	65 mph	No	Yes	Yes	Yes
Element	03-05	Endorsed	3,578 lbs.	23"	65 mph	N/A	N/A	Yes	N/A
Element	06-11	Prohibited (911 only)	3,661 lbs.	23"	65 mph	No	No	Yes	Yes
Fit	07	Prohibited (911 only)	2,551 lbs.	12.75"	-	No	No	Yes	No
Fit	08	Endorsed	2,551 lbs.	12.75"	65 mph	No	No	Yes	No
Fit (automatic only)	09-12	Endorsed	2,575 lbs.	13.5"	65 mph	No	Yes	Yes	Yes
Fit (manual only)	09-12	Endorsed	2,489 lbs.	13.5"	65 mph	No	Yes	Yes	Yes
Fit (automatic only)	13	Endorsed	2,617 lbs.	13.5"	65 mph	No	Yes	Yes	Yes
Fit (manual only)	13	Endorsed	2,496 lbs.	13.5"	65 mph	No	Yes	Yes	Yes
Fit	15-20	Endorsed	2,648 lbs.	13"	65 mph	No	Yes	Yes	No
HRV	16-18	Endorsed with restrictions	3,109 lbs.	15"	65 mph	No	Yes	Yes	No
Odyssey	99	Prohibited (911 only)	4,288 lbs.	13.5"	-	N/A	N/A	Yes	N/A
Odyssey	00-04	Prohibited (911 only)	4,387 lbs.	13.5"	-	N/A	N/A	Yes	N/A
Odyssey	05-10	Prohibited (911 only)	4,639 lbs.	14"	-	No	No	Yes	Yes
Odyssey	11-13	Prohibited (911 only)	4,560 lbs.	14.5"	-	No	No	Yes	Yes
Passport	99-01	Prohibited (911 only)	4,102 lbs.	13"	-	N/A	N/A	Yes	N/A
Pilot	03-04	Endorsed	4,439 lbs.	25.5"	65 mph	No	No	Yes	Yes
Pilot	05-08	Endorsed	4,524 lbs.	25.5"	65 mph	No	No	Yes	Yes
Pilot	09-11	Prohibited (911 only)	4,608 lbs.	14.5"	-	No	No	Yes	Yes
Pilot	12-15	Prohibited (911 only)	4,608 lbs.	14.5"	-	No	No	Yes	Yes

HUMMER

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ⁶	Does a Bulb and Socket Kit Work on This Vehicle? ⁵
H2	03-04	Endorsed	6,400 lbs.	22.5"	None	No	No	Yes	Yes
H2	05-07	Endorsed	6,400 lbs.	22.5"	None	No	No	Yes	Yes
H2	08-09	Endorsed	6,614 lbs.	22.5"	None	No	No	Yes	Yes
H3	06	Endorsed	4,700 lbs.	21"	None	No	No	Yes	Yes
H3	07-10	Endorsed	4,883 lbs.	21"	None	No	No	Yes	No

HYUNDAI

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ²⁵	Does a Bulb and Socket Kit Work on This Vehicle? ²⁵
Accent	06-11	Prohibited	2,533 lbs.	13.5"	None	No	No	Yes	Yes
Accent	12-17	Prohibited	2,555 lbs.	14"	None	No	No	Yes	Yes
Accent	18-21	Prohibited	2,679 lbs.	15"	None	No	No	Yes	No
Elantra	03	Not officially endorsed	2,698 lbs.	15"	None	N/A	N/A	Yes	N/A
Elantra	04	Not officially endorsed	2,698 lbs.	15"	None	N/A	N/A	Yes	N/A
Elantra (manual only)	07-10	Not officially endorsed	2,937 lbs.	14.4"	None	No	No	Yes	No
Elantra	11-13	Not officially endorsed	2,877 lbs.	15"	None	No	No	Yes	Yes
Elantra	14-16	Not officially endorsed	2,923 lbs.	14.5"	None	No	No	Yes	No
Elantra	17-18	Not officially endorsed	3,109 lbs.	14.5"	None	No	No	Yes	No
Elantra	20	Prohibited	3,131 lbs.	14.5"	None	No	No	Yes	Yes
Elantra GT	13-14	Not officially endorsed	2,908 lbs.	14.5"	None	No	No	Yes	Yes
Elantra GT	15-18	Not officially endorsed	3,067 lbs.	15"	None	No	No	Yes	No
Elantra Sport	17-18	Not officially endorsed	3,109 lbs.	14.5"	None	No	No	Yes	No
Elantra Touring	09-12	Not officially endorsed	2,969 lbs.	15"	None	No	No	Yes	No
Entourage	07-08	Not officially endorsed	4,400 lbs.	14.5"	-	N/A	N/A	Yes	N/A
Santa Fe	04-06	Not officially endorsed	3,946 lbs.	24.5"	None	N/A	N/A	Yes	N/A
Santa Fe	07-09	Not officially endorsed	4,022 lbs.	23"	None	No	No	Yes	Yes
Santa Fe	10-12	Not officially endorsed	4,120 lbs.	16.5"	None	No	No	Yes	Yes
Sonata	09-11	Not officially endorsed	3,452 lbs.	15"	None	No	No	Yes	Yes
Tiburon	04	Not officially endorsed	3,041 lbs.	12.5"	None	N/A	N/A	Yes	N/A
Tucson	05-09	Not officially endorsed	3,548 lbs.	23.75"	None	No	No	Yes	Yes
Tucson	10-13	Not officially endorsed	3,488 lbs.	16.5"	None	No	No	Yes	Yes
Veloster	12-17	Not officially endorsed	2,943 lbs.	14.5"	None	No	No	Yes	No
Venue	20	Prohibited	2,612 lbs.	15"	None	No	No	Yes	No

ISUZU

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ²⁵	Does a Bulb and Socket Kit Work on This Vehicle? ²⁵
Amigo	99-01	-	3,762 lbs.	13"	-	N/A	N/A	Yes	N/A
1350 Pickup	06-08	Endorsed	4,180 lbs.	N/A	55 mph	N/A	N/A	Yes	N/A
Rodeo	99-01	-	4,163 lbs.	13"	-	N/A	N/A	Yes	N/A
Trooper	98	-	4,530 lbs.	N/A	-	N/A	N/A	Yes	N/A

JEEP

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ²⁵	Does a Bulb and Socket Kit Work on This Vehicle? ²⁵
Cherokee	91	N/A	3,076 lbs.	14"	-	N/A	N/A	Yes	N/A
Cherokee	14-20	Some models endorsed	4,016 lbs.	21"	None	No	No	Yes	No
Cherokee	21-22	Some models endorsed	4,250 lbs.	20"	None	No	No	No	No
Cherokee	23	Some models endorsed	4,260 lbs.	22"	-	N/A	N/A	N/A	N/A

Commander	06	Some models endorsed with restrictions	5,047 lbs.	17.75"	None	No	No	Yes	Yes
Commander	07	Some models endorsed with restrictions	5,239 lbs.	17.75"	None	No	No	Yes	Yes
Commander	08-10	Some models endorsed with restrictions	5,204 lbs.	17.75"	None	No	No	Yes	Yes
Compass	07-15	Prohibited	3,329 lbs.	16"	None	No	No	Yes	Yes
Compass	07-08	Prohibited	3,329 lbs.	16"	None	N/A	N/A	N/A	N/A
Compass	09-16	Some models endorsed	3,345 lbs.	15.5"	None	N/A	N/A	N/A	N/A
Compass	16-17	Some models endorsed	3,345 lbs.	15.5"	None	No	No	Yes	No
Compass	18-23	Prohibited	3,260 lbs.	15.5"	-	N/A	N/A	N/A	N/A
Compass Sport	11-15	Some models endorsed	3,260 lbs.	15.5"	-	No	No	Yes	Yes
Compass Sport	16	Some models endorsed	3,258 lbs.	15.5"	-	No	No	Yes	No
Gladiator	20	Endorsed	5,050 lbs.	17.25"	None	No	No	Yes	No
Gladiator	21-23	Endorsed	5,050 lbs.	17.25"	None	No	No	Yes	Yes
Grand Cherokee	93-96	--	3,574 lbs.	17"	-	No	No	Yes	Yes
Grand Cherokee	97-04	--	4,355 lbs.	17"	None	No	No	Yes	Yes
Grand Cherokee	05-09	Some models endorsed with restrictions	4,665 lbs.	18.75"	None	No	No	Yes	Yes
Grand Cherokee	10	Some models endorsed with restrictions	4,788 lbs.	18.75"	None	No	No	Yes	Yes
Grand Cherokee	11-12	Some models endorsed	4,850 lbs.	17.5"	None	No	No	Yes	Yes
Grand Cherokee	13	Some models endorsed	5,150 lbs.	17.5"	None	Yes	No	Yes	No
Grand Cherokee	14-20	Some models endorsed	5,104 lbs.	17.5"	None	No	No	Yes	No
Grand Cherokee	21	Some models endorsed	5,356 lbs.	17.5"	None	No	No	Yes	No
Grand Cherokee WK Generation	22	Some models endorsed	4,746 lbs.	17.5"	None	No	No	Yes	No
Grand Cherokee WL Generation	22-23	Some models endorsed	4,413 lbs.	22"	None	No	No	Yes	No
Grand Cherokee L	21-23	Some models endorsed	4,779 lbs.	22"	None	No	No	Yes	No
Grand Wagoneer	22	Some models endorsed	6,420 lbs.	23"	None	No	No	Yes	Yes
Liberty	02-04	Some models endorsed	4,251 lbs.	19"	None	No	No	Yes	Yes
Liberty	05-07	Some models endorsed	4,033 lbs.	19"	None	No	No	Yes	Yes
Liberty	08-09	Some models endorsed	4,278 lbs.	17.5"	None	Yes	No	Yes	Yes
Liberty	10	Some models endorsed	4,278 lbs.	17.5"	None	No	No	Yes	Yes
Liberty	11	Some models endorsed	4,290 lbs.	17.5"	None	Yes	No	Yes	Yes
Liberty	12	Some models endorsed	4,290 lbs.	17.5"	None	No	No	Yes	Yes
Patriot	07-13	Some models endorsed	3,310 lbs.	18"	None	No	No	Yes	Yes
Patriot	14-17	Some models endorsed	3,331 lbs.	18"	None	No	No	Yes	Yes
Wagoneer	22	Some models endorsed	6,230 lbs.	18"	None	No	No	Yes	No
Wrangler	92-95	--	2,935 lbs.	17"	-	No	No	Yes	Yes
Wrangler	96-04	Endorsed	3,362 lbs.	15"	None	No	No	Yes	Yes
Wrangler	05-06	Endorsed	3,977 lbs.	15"	None	No	No	Yes	Yes
Wrangler	07-10	Endorsed	4,460 lbs.	14.5"	None	Yes	No	Yes	No
Wrangler (four-door only)	11	Endorsed	4,460 lbs.	14.5"	None	Yes	No	Yes	Yes
Wrangler (two-door only)	11	Endorsed	3,839 lbs.	14.5"	None	Yes	No	Yes	Yes
Wrangler (four-door only)	12-13	Endorsed	4,075 lbs.	14.5"	None	No	No	Yes	Yes
Wrangler (two-door only)	12-13	Endorsed	4,075 lbs.	14.5"	None	No	No	Yes	Yes
Wrangler (four-door only)	14	Endorsed	4,075 lbs.	14.5"	None	Yes	No	Yes	No
Wrangler (two-door only)	14	Endorsed	3,879 lbs.	14.5"	None	Yes	No	Yes	No
Wrangler (two-door only)	15-17	Endorsed	4,269 lbs.	14.5"	None	No	No	Yes	No
Wrangler (four-door only)	15-17	Endorsed	4,269 lbs.	14.5"	None	No	No	Yes	No
Wrangler (two-door JL only)	18	Endorsed	4,215 lbs.	18"	None	No	No	Yes	No
Wrangler (two-door JK only)	18	Endorsed	3,879 lbs.	18"	None	No	No	Yes	No
Wrangler (four-door JL only)	18	Endorsed	4,215 lbs.	18"	None	No	No	Yes	No
Wrangler (four-door JK only)	18	Endorsed	3,879 lbs.	18"	None	No	No	Yes	No
Wrangler	19-20	Endorsed	4,449 lbs.	18"	None	No	No	Yes	No
Wrangler (w/diesel engine)	21-23	Endorsed	4,449 lbs.	18"	None	No	No	Yes	No
Wrangler (w/diesel engine)	21-23	Endorsed	4,449 lbs.	18"	None	No	No	Yes	No

KIA	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ²⁵	Does a Bulb and Socket Kit Work on This Vehicle? ²⁵
Forte	10-12	Not officially endorsed	2,853 lbs.	14.5"	None	No	No	Yes	Yes
Forte	14-18	Not officially endorsed	2,908 lbs.	13.75"	None	No	No	Yes	No
Optima	01-04	-	3,301 lbs.	13.5	-	N/A	N/A	Yes	N/A
Rio	02	Not officially endorsed	2,491 lbs.	12"	-	N/A	N/A	Yes	N/A
Rio	06-09	Not officially endorsed	2,403 lbs.	15"	None	No	No	Yes	Yes
Rio	10-11	Not officially endorsed	2,403 lbs.	15"	None	No	No	Yes	Yes
Rio	12-13	Not officially endorsed	2,483 lbs.	13.5"	None	No	No	Yes	No
Rio	16-17	Prohibited	2,732 lbs.	14.5"	None	No	No	Yes	No
Rio	18-19	Not officially endorsed	2,714 lbs.	14.5"	None	No	No	No	Yes
Rio 5	08-09	Not officially endorsed	2,487 lbs.	15"	None	No	No	Yes	Yes
Rio 5	10	Not officially endorsed	2,487 lbs.	15"	None	No	No	Yes	Yes
Rondo	07-09	Not officially endorsed	3,443 lbs.	11.5"	-	No	No	Yes	Yes
Sedona	02-03	-	4,802 lbs.	N/A	-	N/A	N/A	Yes	N/A
Sedona	06-12	Not officially endorsed	4,646 lbs.	14.5"	-	No	No	Yes	Yes
Sorento	04-09	Prohibited	4,387 lbs.	13.5"	None	No	No	Yes	Yes
Sorento	11-13	Prohibited (911 only)	4,131 lbs.	16.5"	-	No	No	Yes	No
Soul	10-13	Prohibited (911 only)	2,820 lbs.	15.5"	None	No	No	Yes	Yes
Soul	14-19	Prohibited (911 only)	2,879 lbs.	13.5"	None	No	No	Yes	Yes
Soul	20-21	Prohibited (911 only)	3,036 lbs.	15"	None	No	No	Yes	No
Soul GT-Line	21-22	Prohibited (911 only)	3,036 lbs.	14.5"	None	No	No	Yes	No
Spectra	05-09	Prohibited (911 only)	2,767 lbs.	14.5"	None	No	No	Yes	No
Spectra 5	05-09	Prohibited (911 only)	2,925 lbs.	14.5"	None	No	No	Yes	No
Sportage	01-02	Prohibited (911 only)	3,352 lbs.	13"	55 mph / 400 miles	N/A	N/A	Yes	N/A
Sportage	05-08	Prohibited (911 only)	3,527 lbs.	23.5"	-	N/A	N/A	Yes	N/A
Sportage	09-10	Prohibited (911 only)	3,527 lbs.	22.5"	None	No	No	Yes	Yes
Sportage	11-13	Prohibited (911 only)	3,466 lbs.	16.5"	None	No	No	Yes	No

LEXUS	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ²⁵	Does a Bulb and Socket Kit Work on This Vehicle? ²⁵
ES300	99	Not officially endorsed	3,351 lbs.	N/A	-	N/A	N/A	Yes	N/A
GX470	03-05	Prohibited	4,871 lbs.	24"	-	N/A	N/A	Yes	N/A
RX300	00-02	Not officially endorsed	3,900 lbs.	14"	55 mph / 200 miles	N/A	N/A	Yes	N/A
RX330	04-06	Prohibited	4,065 lbs.	17.5"	-	N/A	N/A	Yes	N/A
RX350	07-09	Prohibited	4,090 lbs.	16.75"	-	N/A	N/A	Yes	N/A
RX350	10-12	Prohibited	4,652 lbs.	16.5"	-	No	No	Yes	No

LINCOLN	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ²⁵	Does a Bulb and Socket Kit Work on This Vehicle? ²⁵
Blackwood	02	Nor officially endorsed	5,700 lbs.	N/A	-	N/A	N/A	Yes	N/A
Continental	94	-	3,576 lbs.	13"	-	N/A	N/A	Yes	N/A
Corsair	21-22	Endorsed	4,398 lbs.	N/A	70 mph	No	No	No	No

Mark LT	06-08	Prohibited	5,711 lbs.	23"	-	No	No	Yes	Yes
MKS	09-16	Endorsed	4,479 lbs.	14.5"	65 mph	No	No	Yes	No
MKT	10-12	Endorsed	4,899 lbs.	13"	65 mph	No	No	Yes	Yes
MKT	13-15	Some models endorsed	4,885 lbs.	15"	65 mph	No	No	Yes	No
MKT	16-19	Endorsed	5,036 lbs.	15"	65 mph	Yes	No	Yes	No
MKX	07-08	Endorsed	4,419 lbs.	18.25"	None	No	No	Yes	Yes
MKX	09-10	Endorsed	4,419 lbs.	18.25"	65 mph	No	No	No	Yes
MKX	11-15	Endorsed	4,429 lbs.	18.25"	65 mph	No	No	Yes	No
MKX	16-17	Endorsed	4,387 lbs.	16"	65 mph	No	No	Yes	No
MKZ	13-16	Some models endorsed	3,874 lbs.	12.5"	65 mph	No	No	Yes	No
MKZ	17-20	Some models endorsed	3,900 lbs.	13"	65 mph	No	No	Yes	No
MKZ Hybrid	11-20	Some models endorsed	3,871 lbs.	13"	70 mph	No	No	Yes	No
Nautilus	19-22	Some models endorsed	4,387 lbs.	17"	65 mph	Yes	No	Yes	No
Navigator	02-08	Endorsed with restrictions	6,221 lbs.	15"	-	N/A	N/A	Yes	N/A
Navigator	09-14	Prohibited (911 only)	6,239 lbs.	20"	-	No	No	Yes	No
Navigator	18-21	Some models endorsed	5,922 lbs.	16"	None	No	No	No	No

MAZDA

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ²⁵	Does a Bulb and Socket Kit Work on This Vehicle? ²⁵
Mazda 3	04	-	2,857 lbs.	13.75"	-	N/A	N/A	Yes	N/A
Mazda 3	10-11	Prohibited	3,123 lbs.	13.5"	-	No	No	Yes	No
Miata	16-21	Prohibited	2,403 lbs.	13"	-	No	No	Yes	No
Protégé	97	-	2,573 lbs.	12"	-	N/A	N/A	Yes	N/A
RX8	04-07	Endorsed	3,053 lbs.	N/A	-	N/A	N/A	Yes	N/A
Tribute	05-07	Prohibited	3,487 lbs.	19.25"	55 mph	N/A	N/A	Yes	N/A
Tribute	08-11	Endorsed	3,555 lbs.	17.5"	65 mph	No	No	Yes	Yes
Tribute hybrid	08-09	Endorsed	3,787 lbs.	19.25"	None	No	No	Yes	Yes

Does a

MERCEDES

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Standard Diode Kit Work On This Vehicle? ²⁵	Does a Bulb and Socket Kit Work on This Vehicle? ²⁵
Sprinter	13-18	Prohibited (911 only)	6,382 lbs.	24"	-	No	No	Yes	Yes

MERCURY

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ²⁵	Does a Bulb and Socket Kit Work on This Vehicle? ²⁵
Mariner	09-11	Endorsed	3,549 lbs.	17"	65 mph	No	No	Yes	Yes
Mariner hybrid	06-07	Endorsed	3,787 lbs.	15.5"	None	No	No	Yes	Yes
Mariner hybrid	08-11	Endorsed	3,826 lbs.	17"	75 mph	No	No	Yes	Yes
Milan	10-11	Endorsed	3,699 lbs.	14.75"	65 mph	No	No	Yes	Yes
Mountaineer	96-02	Endorsed with restrictions	4,433 lbs.	19"	None	N/A	N/A	Yes	N/A
Mountaineer	04-05	Endorsed with restrictions	4,490 lbs.	12"	-	N/A	N/A	Yes	N/A
Mountaineer	06-10	Prohibited	4,725 lbs.	15.5"	None	No	No	Yes	No
Sable	08-09	Endorsed	3,814 lbs.	13.5"	-	No	No	Yes	No

MINI

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ²⁵	Does a Bulb and Socket Kit Work on This Vehicle? ²⁵
Cooper	05	Not officially endorsed	2,844 lbs.	10.5"	-	No	No	No	Yes
Cooper	06	Not officially endorsed	2,844 lbs.	10.5"	-	No	No	No	Yes
Cooper	07-09	Not officially endorsed	2,877 lbs.	10.5"	-	No	No	No	Yes
Cooper	10	Not officially endorsed	2,877 lbs.	13.5"	-	No	No	No	Yes
Cooper	11-12	Not officially endorsed	2,767 lbs.	13.5"	-	No	No	Yes	No
Cooper Countryman S	12-13	Not officially endorsed	2,745 lbs.	13.5"	-	No	No	No	No
Cooper (other models)	13	Not officially endorsed	2,833 lbs.	13.5"	-	No	No	Yes	No
Cooper	14-22	Not officially endorsed	3,144 lbs.	13.5"	-	No	No	Yes	No

MITSUBISHI

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ²⁵	Does a Bulb and Socket Kit Work on This Vehicle? ²⁵
Lancer	04	Not officially endorsed	2,887 lbs.	16"	-	N/A	N/A	Yes	N/A
Montero Sport	01	-	4,330 lbs.	N/A	-	N/A	N/A	Yes	N/A
Raider	06-09	-	4,548 lbs.	N/A	-	No	No	Yes	No

NISSAN

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ²⁵	Does a Bulb and Socket Kit Work on This Vehicle? ²⁵
Altima	97	Not officially endorsed	2,989 lbs.	N/A	-	N/A	N/A	Yes	N/A
Altima	02	Prohibited	3,274 lbs.	15.5"	60 mph / 500 miles	N/A	N/A	Yes	N/A
Altima	07-09	Prohibited	3,407 lbs.	13.25"	None / 500 miles	No	No	Yes	Yes
Armada	04-05	Prohibited	5,538 lbs.	14"	-	N/A	N/A	Yes	N/A
Armada	06-10	Prohibited	5,841 lbs.	14"	-	No	No	Yes	No
Armada	11-12	Prohibited	5,841 lbs.	14"	-	No	No	Yes	Yes
Cube	09-14	Some models endorsed	2,842 lbs.	15"	60 mph / 500 miles	No	No	Yes	No
Frontier pickup	00	Not officially endorsed	4,108 lbs.	17"	60 mph / 500 miles	N/A	N/A	Yes	N/A
Frontier pickup	01-04	Some models endorsed	4,148 lbs.	17"	60 mph / 500 miles	No	No	Yes	Yes
Frontier pickup	05-21	Prohibited	4,696 lbs.	13.25"	60 mph / 500 miles	No	No	Yes	Yes
Juke	11-15	Some models endorsed	3,210 lbs.	16"	70 mph / 500 miles	No	No	Yes	Yes
Maxima	98	-	3,111 lbs.	N/A	-	N/A	N/A	Yes	N/A
NV 2500	12-17	Prohibited	5,967 lbs.	14"	-	No	No	Yes	No
NV 3500	12-17	Prohibited	6,862 lbs.	14"	-	No	No	Yes	No
NV	18-20	Prohibited	6,194 lbs.	N/A	-	No	No	Yes	No
Pathfinder	00-02	Not officially endorsed	4,304 lbs.	14"	60 mph / 500 miles	N/A	N/A	Yes	N/A
Pathfinder	05-08	Prohibited	5,107 lbs.	13.25"	-	No	No	Yes	Yes

Sentra	02	Not officially endorsed	2,776 lbs.	13"	-	N/A	N/A	Yes	N/A
Sentra	07-09	Some models endorsed	3,115 lbs.	14"	None / 500 miles	No	No	Yes	Yes
Sentra	10-12	Some models endorsed	3,131 lbs.	14"	None / 500 miles	No	No	Yes	No
Sentra	16-19	Some models endorsed	3,077 lbs.	14.5"	50 mph / 500 miles	No	No	Yes	No
Titan	04-08	Prohibited	5,297 lbs.	25"	-	N/A	N/A	Yes	N/A
Titan	09-12	Prohibited	5,556 lbs.	N/A	-	No	No	Yes	Yes
Versa	07-14	Some models endorsed	2,498 lbs.	14"	None / 500 miles	No	No	Yes	Yes
Versa	15-19	Some models endorsed	2,494 lbs.	16"	70 mph / 500 miles	No	No	Yes	No
Versa	20-22	Prohibited	2,729 lbs.	15"	70 mph / 500 miles	No	No	Yes	No
Versa Note	14-16	Some models endorsed	2,523 lbs.	16"	70 mph / 500 miles	No	No	Yes	No
Xterra	00-04	Some models endorsed	4,200 lbs.	17"	60 mph / 500 miles	No	No	Yes	Yes
Xterra	05-08	Some models endorsed	4,402 lbs.	12"	None / 500 mph	No	No	Yes	Yes
Xterra	09-15	Some models endorsed	4,425 lbs.	12"	70 mph / 500 miles	No	No	Yes	Yes

OLDSMOBILE

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ²⁵	Does a Bulb and Socket Kit Work on This Vehicle? ²⁵
Alero	01-03	Endorsed	3,123 lbs.	13.5"	65 mph	N/A	No	Yes	N/A
Silhouette	00-03	Prohibited	3,948 lbs.	15"	-	N/A	N/A	Yes	N/A

PLYMOUTH

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ²⁵	Does a Bulb and Socket Kit Work on This Vehicle? ²⁵
Grand Voyager	97-00	-	3,836 lbs.	N/A	-	N/A	No	Yes	N/A

PONTIAC

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ²⁵	Does a Bulb and Socket Kit Work on This Vehicle? ²⁵
Aztek	01-03	Prohibited	3,968 lbs.	13"	-	N/A	N/A	Yes	N/A
G5	07-10	Endorsed	2,991 lbs.	14.25"	65 mph	No	N/A	Yes	Yes
G6	05	Endorsed	3,425 lbs.	13"	-	No	Yes	Yes	Yes
G6 (w/adj. pedals)	06	Endorsed	3,877 lbs.	13"	None	No	Yes	Yes	Yes
G6 (w/non-adj. pedals)	06	Endorsed	3,877 lbs.	13"	None	No	Yes	Yes	Yes
G6 (w/adj. pedals)	07-10	Endorsed	3,305 lbs.	13"	65 mph	No	Yes	Yes	Yes
G6 (w/non-adj. pedals)	07-10	Endorsed	3,305 lbs.	13"	65 mph	No	Yes	Yes	Yes
G6 Convertible (w/adj. pedals)	09	Some models endorsed	3,855 lbs.	13"	65 mph	No	Yes	Yes	No
G6 Convertible (w/non-adj. pedals)	09	Some models endorsed	3,855 lbs.	13"	65 mph	No	Yes	Yes	No
Torrent GXP	08-09	Some models endorsed	3,919 lbs.	N/A	65 mph	Yes	No	Yes	No
Vibe	03-04	Endorsed	2,890 lbs.	14.5"	65 mph	N/A	N/A	Yes	N/A
Vibe	05-08	Some models endorsed	2,700 lbs.	14.5"	None	N/A	N/A	Yes	N/A
Vibe	09-10	Some models endorsed	3,284 lbs.	14.5"	None	No	No	Yes	Yes

RAM

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Standard Diode Kit Work On This Vehicle? ⁵	Does a Bulb and Socket Kit Work on This Vehicle? ⁵
Ram 1500 pickup	10-12	Some models endorsed	5,535 lbs.	18"	None	No	No	Yes	Yes
Ram 1500 pickup (w/adj. pedals and no electronic shifter)	13-18	Some models endorsed	5,739 lbs.	18"	None	No	No	Yes	Yes
Ram 1500 pickup (w/adj. pedals and electronic shifter)	13-18	Some models endorsed	5,739 lbs.	18"	None	No	No	Yes	Yes
Ram 1500 pickup (w/non-adj. pedals and no electronic shifter)	13-18	Some models endorsed	5,739 lbs.	18"	None	No	No	Yes	Yes
Ram 1500 pickup (w/non-adj. pedals)	13-18	Some models endorsed	5,739 lbs.	18"	None	No	No	Yes	Yes
Ram 1500 pickup	19-22	Some models endorsed	6,439 lbs.	21"	None	No	No	Yes	No
Ram 1500 Classic pickup	19	Some models endorsed	5,842 lbs.	19"	None	No	No	Yes	No
Ram 2500 pickup	10-12	Some models endorsed	6,683 lbs.	25.5"	None	No	No	Yes	Yes
Ram 2500 pickup (w/adj. pedals)	13-14	Some models endorsed	7,206 lbs.	25.5"	None	No	No	Yes	Yes
Ram 2500 pickup (w/adj. pedals)	15-18	Some models endorsed	7,231 lbs.	25.5"	None	No	No	Yes	No
Ram 2500 pickup (w/non-adj. pedals)	13-14	Some models endorsed	7,206 lbs.	25.5"	None	No	No	Yes	Yes
Ram 2500 pickup (w/non-adj. pedals)	15-18	Some models endorsed	7,231 lbs.	25.5"	None	No	No	Yes	No
Ram 2500 pickup (w/adj. pedals)	19-22	Some models endorsed	7,414 lbs.	24"	None	No	No	Yes	Yes
Ram 2500 pickup (w/non-adj. pedals)	19-22	Some models endorsed	7,414 lbs.	24"	None	No	No	Yes	Yes
Ram 3500 pickup	10-12	Some models endorsed	7,920 lbs.	25.5"	None	No	No	Yes	Yes
Ram 3500 pickup (w/adj. pedals)	13-18	Some models endorsed	6,949 lbs.	25.5"	None	No	No	Yes	No
Ram 3500 pickup (w/non-adj. pedals)	13-18	Some models endorsed	6,949 lbs.	25.5"	None	No	No	Yes	No
Ram 3500 pickup (w/adj. pedals)	19-21	Some models endorsed	7,536 lbs.	24"	None	No	No	Yes	Yes
Ram 3500 pickup (w/non-adj. pedals)	19-21	Some models endorsed	7,536 lbs.	24"	None	No	No	Yes	Yes

SATURN

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ⁵	Does a Bulb and Socket Kit Work on This Vehicle? ⁵
Aura (w/adj. pedals)	07-09	Endorsed	3,647 lbs.	13.25"	65 mph	No	Yes	Yes	Yes
Aura (w/non-adj. pedals)	07-09	Endorsed	3,647 lbs.	13.25"	65 mph	No	Yes	Yes	Yes
Ion	05-07	Endorsed	2,843 lbs.	13"	65 mph	No	Yes	Yes	Yes
L-series	00-05	Endorsed	3,198 lbs.	14"	65 mph	No	Yes	Yes	Yes
Outlook	07-08	Endorsed	4,936 lbs.	16.5"	65 mph	No	Yes	Yes	Yes
Outlook	09-10	Endorsed	4,729 lbs.	16.5"	65 mph	No	Yes	Yes	Yes
SC1	93-02	-	2,412 lbs.	13"	65 mph	No	No	Yes	Yes
SC2	92-02	-	2,465 lbs.	13"	65 mph	No	No	Yes	Yes
SL1/SL2	91-94	-	2,314 lbs.	13"	-	No	Yes	Yes	No
SL1/SL2	95-01	-	2,452 lbs.	13"	65 mph	No	Yes	Yes	No
SL1/SL2	02	Endorsed	2,412 lbs.	13"	65 mph	N/A	Yes	Yes	N/A
SL1/SL2	03-04	Endorsed	2,911 lbs.	13"	65 mph	N/A	Yes	Yes	N/A
Vue (w/manual seats)	02	-	3,470 lbs.	15"	65 mph	No	Yes	Yes	Yes
Vue (w/manual seats)	03-07	Endorsed	3,630 lbs.	15"	65 mph	No	Yes	Yes	Yes
Vue (w/power seats)	02	-	3,470 lbs.	15"	65 mph	No	Yes	Yes	Yes
Vue (w/power seats)	03-04	Endorsed	3,630 lbs.	15"	65 mph	No	Yes	Yes	Yes
Vue (w/power seats)	05-07	Endorsed	3,630 lbs.	15"	65 mph	No	Yes	Yes	Yes
Vue (w/non-adj. pedals)	08-10	Endorsed	3,854 lbs.	21.5"	65 mph	No	Yes	Yes	Yes
Vue Greenline hybrid	08-09	Endorsed	3,788 lbs.	15"	65 mph	No	Yes	Yes	Yes
Vue Redline (w/power seats)	02-07	Endorsed	4,325 lbs.	22"	65 mph	No	Yes	Yes	Yes
Vue Redline	08-09	Endorsed	4,093 lbs.	21.5"	65 mph	No	Yes	Yes	Yes

SCION

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ²⁵	Does a Bulb and Socket Kit Work on This Vehicle? ²⁵
IM	16	Some models endorsed	3,031 lbs.	13.5"	None	No	No	Yes	No
TC	11-14	Some models endorsed	3,091 lbs.	14"	None	No	No	Yes	Yes
TC	15-16	Some models endorsed	3,124 lbs.	13.5"	None	No	No	Yes	No
XB	04-06	Some models endorsed	2,469 lbs.	14.25"	None	N/A	N/A	Yes	N/A
XB	08-15	Some models endorsed	3,084 lbs.	12.5"	None	No	No	Yes	No
XD	08-14	Some models endorsed	2,665 lbs.	14"	None	No	No	Yes	Yes

SMART

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ²⁵	Does a Bulb and Socket Kit Work on This Vehicle? ²⁵
Fortwo	06	Endorsed	1,775 lbs.	12.5"	-	No	No	Yes	No
Fortwo	08	Endorsed	1,852 lbs.	12.5"	-	Yes	No	Yes	No
Fortwo	09-15	Endorsed	1,852 lbs.	12.5"	None	Yes	No	Yes	No
Fortwo	16-17	Endorsed	1,984 lbs.	14.5"	None	Yes	No	Yes	No

SUBARU

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ²⁵	Does a Bulb and Socket Kit Work on This Vehicle? ²⁵
Baja	03-04	Not officially endorsed. (911 only)	3,550 lbs.	15"	None	N/A	N/A	Yes	N/A
Crosstrek	16-23	Not officially endorsed. (911 only)	3,208 lbs.	16.5"	None	No	No	Yes	Yes
Forester	98-02	Not officially endorsed. (911 only)	3,195 lbs.	14.5"	None	N/A	N/A	Yes	N/A
Forester	03-08	Not officially endorsed. (911 only)	3,360 lbs.	15"	None	No	No	Yes	Yes
Forester	09-13	Not officially endorsed. (911 only)	3,460 lbs.	17.5"	None	No	No	Yes	No
Forester	14-18	Not officially endorsed. (911 only)	3,717 lbs.	16.5"	None	No	No	Yes	Yes
Impreza	98-07	Not officially endorsed (911 only)	3,142 lbs.	14"	None	N/A	N/A	Yes	N/A
Impreza	08-11	Not officially endorsed (911 only)	3,241 lbs.	13"	None	No	No	Yes	No
Impreza	12-14	Not officially endorsed (911 only)	3,109 lbs.	14"	None	No	No	Yes	Yes
Impreza	15-19	Not officially endorsed (911 only)	3,135 lbs.	13"	None	No	No	Yes	Yes
Impreza WRX	98-07	Not officially endorsed (911 only)	3,085 lbs.	13"	None	N/A	N/A	Yes	N/A
Impreza WRX	08-14	Not officially endorsed (911 only)	3,417 lbs.	14"	None	No	No	Yes	Yes
Impreza WRX	15-20	Not officially endorsed (911 only)	3,527 lbs.	13"	None	No	No	Yes	No
Legacy	09-13	Not officially endorsed (911 only)	3,545 lbs.	12"	None	No	No	Yes	No
Legacy	14	Not officially endorsed (911 only)	3,545 lbs.	12"	None	No	No	Yes	Yes
Legacy	15-16	Not officially endorsed (911 only)	3,662 lbs.	17"	-	No	No	Yes	No
Legacy Outback	15-17	Not officially endorsed (911 only)	3,856 lbs.	17"	-	No	No	Yes	No
Outback	98-08	Not officially endorsed (911 only)	3,625 lbs.	15"	None	N/A	N/A	Yes	N/A
Outback	09-14	Not officially endorsed (911 only)	3,648 lbs.	17"	None	No	No	Yes	Yes
Outback	15-17	Not officially endorsed (911 only)	3,856 lbs.	17"	None	No	No	Yes	No
XV Crosstrek	13-15	Not officially endorsed (911 only)	3,208 lbs.	12"	None	No	No	Yes	Yes

SUZUKI

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ⁵	Does a Bulb and Socket Kit Work on This Vehicle? ⁵
Aerio	05-07	Some models endorsed	2,897 lbs.	15"	55 mph / 200 miles	N/A	N/A	Yes	N/A
Equator	09-11	-	4,491 lbs.	N/A	-	No	No	Yes	No
Forenza	05-09	Prohibited	2,893 lbs.	13.5"	-	No	No	Yes	Yes
Grand Vitara	99-00	-	3,197 lbs.	14"	None / 200 miles	N/A	N/A	Yes	N/A
Grand Vitara	01-03	Some models endorsed	3,163 lbs.	17"	None / 200 miles	No	No	Yes	Yes
Grand Vitara	04-05	Some models endorsed	3,230 lbs.	17"	55 mph / 200 miles	No	No	Yes	Yes
Grand Vitara	06-07	Some models endorsed	3,682 lbs.	21.5"	55 mph / 200 miles	No	No	Yes	Yes
Grand Vitara	08	Some models endorsed	3,704 lbs.	21.5"	55 mph / 200 miles	No	No	Yes	Yes
Grand Vitara	09-11	Some models endorsed	3,611 lbs.	21.5"	55 mph / 500 miles	No	No	Yes	Yes
Grand Vitara	12-13	Some models endorsed	3,610 lbs.	21.5"	55 mph / 200 miles	No	No	Yes	Yes
Sidekick	94-97	Some models endorsed	2,954 lbs.	13.5"	-	N/A	N/A	Yes	N/A
SX4	07-12	Some models endorsed	2,990 lbs.	16"	55 mph	No	No	Yes	Yes
SX4	13	Some models endorsed	2,990 lbs.	16"	55 mph	No	No	Yes	Yes
XL7	99-00	Prohibited	3,483 lbs.	18.75"	-	N/A	N/A	Yes	N/A
XL7	01-03	Prohibited	3,638 lbs.	18.75"	-	No	No	Yes	No
XL7	04-06	Prohibited	3,825 lbs.	17"	55 mph / 200 miles	No	No	Yes	Yes

TOYOTA

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ⁵	Does a Bulb and Socket Kit Work on This Vehicle? ⁵
4Runner	03-05	Prohibited	4,555 lbs.	22.25"	-	N/A	N/A	Yes	N/A
4Runner	06-07	Prohibited	4,530 lbs.	22.25"	-	N/A	N/A	Yes	N/A
4Runner	08-09	Prohibited	4,530 lbs.	N/A	-	No	No	Yes	Yes
4Runner	10-13	Prohibited	4,805 lbs.	N/A	-	No	No	Yes	No
4Runner	14-21	Prohibited	4,805 lbs.	N/A	-	No	No	Yes	No
Camry	00	Not officially endorsed	3,252 lbs.	13"	None	N/A	N/A	Yes	N/A
Camry	01-02	Some models endorsed	3,362 lbs.	13"	None	N/A	N/A	Yes	N/A
Camry	07-11	Some models endorsed	3,516 lbs.	14.5"	None	No	No	Yes	No
Camry Solara	04-07	Some models endorsed	3,615 lbs.	15"	None	N/A	N/A	Yes	N/A
Corolla	96-00	Not officially endorsed	2,525 lbs.	N/A	None	N/A	N/A	Yes	N/A
Corolla	03-08	Some models endorsed	2,616 lbs.	13"	None	No	No	Yes	Yes
Corolla	09-13	Some models endorsed	2,800 lbs.	15"	None	No	No	Yes	Yes
Corolla	14-15	Some models endorsed	2,875 lbs.	25"	None	No	No	Yes	No

Corolla	16-19	Some models endorsed	2,885 lbs.	13.5"	None	No	No	Yes	No
Corolla iM	17-18	Some models endorsed	3,031 lbs.	13.5"	None	No	No	Yes	No
Echo	03-05	Some models endorsed	2,105 lbs.	14.5"	None	N/A	N/A	Yes	N/A
FJ Cruiser	07-14	Prohibited	4,295 lbs.	21"	-	No	No	Yes	Yes
Highlander	01-07	Prohibited	3,935 lbs.	15.25"	55 mph / 200 miles	N/A	N/A	Yes	N/A
Highlander	08-12	Prohibited	4,464 lbs.	16.5"	-	No	No	Yes	Yes
Highlander	13	Prohibited	4,464 lbs.	18"	-	No	No	Yes	Yes
Matrix	03-08	Some models endorsed	2,778 lbs.	16"	None	N/A	N/A	Yes	N/A
Matrix	09-10	Some models endorsed	3,360 lbs.	14"	None	No	No	Yes	Yes
RAV4	00	Not officially endorsed	2,844 lbs.	N/A	None	No	No	Yes	No
RAV4	01-05	Some models endorsed	3,186 lbs.	16"	None	N/A	N/A	Yes	N/A
RAV4	06-12	Prohibited	3,699 lbs.	24"	-	No	No	Yes	No
Sienna	02	Prohibited	3,932 lbs.	13"	-	N/A	N/A	Yes	N/A
Sienna	06-10	Prohibited	4,545 lbs.	15"	-	N/A	N/A	Yes	N/A
T-1000 Pickup	96	--	4,110 lbs.	N/A	-	N/A	N/A	Yes	N/A
Tacoma pickup	99-00	Prohibited	3,430 lbs.	14"	-	N/A	N/A	Yes	N/A
Tacoma pickup	01-04	Prohibited	3,705 lbs.	14"	-	No	No	Yes	Yes
Tacoma pickup	05-08	Prohibited	4,100 lbs.	11.5"	-	No	No	Yes	Yes
Tacoma pickup	09-15	Prohibited	4,285 lbs.	11.5"	-	No	No	Yes	Yes
Tacoma pickup	16-23	Prohibited	4,550 lbs.	16"	-	No	No	Yes	Yes
Tundra	00-06	Prohibited	5,020 lbs.	14"	-	N/A	N/A	Yes	N/A
Tundra	07-14	Prohibited	5,860 lbs.	12.75"	-	No	No	Yes	Yes
Tundra	15-20	Prohibited	5,680 lbs.	13"	-	No	No	Yes	Yes
Yaris	06-07	Some models endorsed	2,335 lbs.	13"	None	No	No	Yes	Yes
Yaris	08-11	Some models endorsed	2,364 lbs.	13"	None	No	No	Yes	Yes
Yaris	12-14	Some models endorsed	2,315 lbs.	13"	None	No	No	Yes	Yes
Yaris	15-17	Some models endorsed	2,335 lbs.	13"	None	No	No	Yes	No
Yaris IA	17-18	Prohibited	2,416 lbs.	13"	None	No	No	Yes	No
Yaris	19	Prohibited	2,482 lbs.	13"	None	No	No	Yes	No

VOLKSWAGEN

	Year(s)	Endorsement Status ¹	Estimated Curb Weight ²	Estimated Baseplate Tab Height ³	Speed/Distance Limits ⁴	Require Battery Disconnect ⁵	Require Fuse Disconnect ⁵	Does a Standard Diode Kit Work On This Vehicle? ⁵	Does a Bulb and Socket Kit Work on This Vehicle? ⁵
Bug	09-11	Not officially endorsed (911 only)	3,172 lbs.	12.5"	-	No	No	Yes	No
Bug	12-13	Not officially endorsed (911 only)	3,340 lbs.	13.5"	-	No	No	Yes	No
Bug	14	Not officially endorsed (911 only)	3,340 lbs.	13.5"	-	No	No	Yes	No
EOS	07-10	Not officially endorsed (911 only)	3,517 lbs.	15"	-	No	No	No	Yes
Golf	10-14	Not officially endorsed (911 only)	3,120 lbs.	N/A	-	No	No	No	Yes
Golf	15	Not officially endorsed (911 only)	3,126 lbs.	12"	-	No	No	Yes	No
Golf Sportwagen	15	Not officially endorsed (911 only)	3,246 lbs.	13.5"	-	No	No	Yes	No
GTI	04-05	Not officially endorsed (911 only)	3,051 lbs.	N/A	-	No	No	Yes	No
GTI	10-14	Not officially endorsed (911 only)	3,160 lbs.	N/A	-	No	No	No	Yes
Jetta	09-10	Not officially endorsed (911 only)	3,332 lbs.	13.5"	-	No	No	Yes	Yes
Jetta	11-15	-	3,269 lbs.	14"	-	No	No	Yes	No
Jetta	16-17	-	3,194 lbs.	14"	-	No	No	Yes	No
Jetta Sportwagen	10-14	Not officially endorsed (911 only)	3,340 lbs.	13.5"	-	No	No	Yes	Yes
Passat	03	Not officially endorsed (911 only)	4,067 lbs.	13.25"	-	N/A	N/A	Yes	N/A
Rabbit	08-09	Not officially endorsed (911 only)	3,138 lbs.	12"	-	No	No	Yes	Yes